



2300

Customer No. 22,852
Attorney Docket No. 08157.0014

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
David VALE et al.)
Serial No.: 09/985,820) Group Art Unit: 3731
Filed: November 6, 2001) Examiner:
For: FILTER ELEMENT FOR EMBOLIC)
PROTECTION SYSTEM)

Assistant Commissioner for Patents
Washington, DC 20231
Attention: INITIAL PATENT EXAMINATION DIVISION


Sir:
RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

In response to the Notice To File Corrected Application Papers dated
February 6, 2002, enclosed are Substitute Drawings in compliance with 37 CFR
1.84, and a copy of the Notice To File Corrected Application Papers.

Please associate these Substitute Drawings with the application as filed on
November 6, 2001, and assigned serial number 09/985,820.

Respectfully submitted,
FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

Dated: April 5, 2002

By: 
Ernest F. Chapman
Reg. No. 25,961

Enclosures
EFC/FPD/peg

0995820 02858660



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APR 05 2002

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/985,820	06/2001	David Vale	08157.0014

CONFIRMATION NO. 4546

FORMALITIES LETTER



OC000000007431286

Finnegan, Henderson, Farabow,
Garrett & Dunner, L.L.P.
1300 I Street, N.W.
Washington, DC 20005-3315

Date Mailed: 02/06/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - more than one figure is present and each figure is not labeled "Fig." with a consecutive Arabic numeral (1, 2, etc.) or an Arabic numeral and capital letter in the English alphabet (A, B, etc.)(see 37 CFR 1.84(u)(1));

*A copy of this notice **MUST** be returned with the reply.*

Karlo Quintana

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

09985820 040502